

Barcode 5BL3HTR3I2C36V8AHJDD1L00080

Cycle ID	Step ID	Record ID	Step State	System Time	Relative Time(Sec)	Volt(V)	Current(A)	Capacity(Ah)	Energy(Wh)	CDS T1
1 CC Discharge(1--151): 8.173Ah [287.125Wh]										
1	1	1	CC Discharge	2016-06-27,10:26:27	0	41.665	-0.022	0.000	0.000	
1	1	2	CC Discharge	2016-06-27,10:26:27	0	40.104	-6.997	0.000	0.007	
1	1	3	CC Discharge	2016-06-27,10:26:32	5	39.978	-6.998	0.010	0.388	
1	1	4	CC Discharge	2016-06-27,10:26:42	15	39.857	-6.998	0.030	1.192	
1	1	5	CC Discharge	2016-06-27,10:27:00	33	39.735	-6.998	0.064	2.542	
1	1	6	CC Discharge	2016-06-27,10:27:23	56	39.613	-6.998	0.108	4.311	
1	1	7	CC Discharge	2016-06-27,10:27:27	60	39.596	-6.998	0.117	4.640	
1	1	8	CC Discharge	2016-06-27,10:27:57	90	39.473	-6.998	0.176	6.968	
1	1	9	CC Discharge	2016-06-27,10:28:27	120	39.371	-6.998	0.234	9.253	
1	1	10	CC Discharge	2016-06-27,10:29:05	158	39.250	-6.998	0.307	12.152	
1	1	11	CC Discharge	2016-06-27,10:29:27	180	39.181	-6.998	0.350	13.824	
1	1	12	CC Discharge	2016-06-27,10:30:08	221	39.059	-6.998	0.430	16.960	
1	1	13	CC Discharge	2016-06-27,10:30:27	240	39.004	-6.998	0.466	18.380	
1	1	14	CC Discharge	2016-06-27,10:31:09	282	38.882	-6.998	0.549	21.594	
1	1	15	CC Discharge	2016-06-27,10:31:27	300	38.831	-6.998	0.583	22.930	
1	1	16	CC Discharge	2016-06-27,10:32:11	344	38.709	-6.998	0.669	26.235	
1	1	17	CC Discharge	2016-06-27,10:32:27	360	38.664	-6.998	0.700	27.445	
1	1	18	CC Discharge	2016-06-27,10:33:11	404	38.543	-6.998	0.784	30.704	
1	1	19	CC Discharge	2016-06-27,10:33:27	420	38.498	-6.998	0.817	31.949	
1	1	20	CC Discharge	2016-06-27,10:34:12	465	38.377	-6.998	0.904	35.321	
1	1	21	CC Discharge	2016-06-27,10:34:27	480	38.338	-6.998	0.933	36.426	
1	1	22	CC Discharge	2016-06-27,10:35:12	525	38.216	-6.998	1.020	39.765	
1	1	23	CC Discharge	2016-06-27,10:35:27	540	38.177	-6.998	1.050	40.894	
1	1	24	CC Discharge	2016-06-27,10:36:14	587	38.055	-6.998	1.141	44.352	
1	1	25	CC Discharge	2016-06-27,10:36:27	600	38.020	-6.998	1.166	45.327	
1	1	26	CC Discharge	2016-06-27,10:37:14	647	37.899	-6.998	1.258	48.805	
1	1	27	CC Discharge	2016-06-27,10:37:27	660	37.865	-6.998	1.283	49.759	
1	1	28	CC Discharge	2016-06-27,10:38:15	708	37.744	-6.998	1.376	53.289	
1	1	29	CC Discharge	2016-06-27,10:38:27	720	37.714	-6.998	1.400	54.171	

1	1	30	CC Discharge	2016-06-27,10:39:16	769	37.592	-6.998	1.495	57.755
1	1	31	CC Discharge	2016-06-27,10:39:27	780	37.565	-6.998	1.516	58.551
1	1	32	CC Discharge	2016-06-27,10:40:17	830	37.443	-6.998	1.613	62.184
1	1	33	CC Discharge	2016-06-27,10:40:27	840	37.417	-6.998	1.633	62.923
1	1	34	CC Discharge	2016-06-27,10:41:17	890	37.293	-6.998	1.730	66.565
1	1	35	CC Discharge	2016-06-27,10:41:27	900	37.271	-6.998	1.750	67.289
1	1	36	CC Discharge	2016-06-27,10:42:17	950	37.149	-6.998	1.846	70.874
1	1	37	CC Discharge	2016-06-27,10:42:27	960	37.127	-6.998	1.866	71.622
1	1	38	CC Discharge	2016-06-27,10:43:17	1009	37.005	-6.998	1.962	75.182
1	1	39	CC Discharge	2016-06-27,10:43:27	1020	36.983	-6.998	1.983	75.942
1	1	40	CC Discharge	2016-06-27,10:44:17	1070	36.861	-6.998	2.080	79.520
1	1	41	CC Discharge	2016-06-27,10:44:27	1080	36.839	-6.998	2.100	80.253
1	1	42	CC Discharge	2016-06-27,10:48:43	1080	38.602	-0.022	2.100	80.253
1	1	43	CC Discharge	2016-06-27,10:48:44	1080	38.602	-6.996	2.100	80.260
1	1	44	CC Discharge	2016-06-27,10:48:44	1081	37.173	-6.998	2.100	80.275
1	1	45	CC Discharge	2016-06-27,10:48:49	1086	37.050	-6.998	2.111	80.675
1	1	46	CC Discharge	2016-06-27,10:49:01	1098	36.928	-6.998	2.134	81.527
1	1	47	CC Discharge	2016-06-27,10:49:21	1118	36.806	-6.998	2.173	82.954
1	1	48	CC Discharge	2016-06-27,10:49:44	1140	36.708	-6.998	2.216	84.552
1	1	49	CC Discharge	2016-06-27,10:50:20	1177	36.586	-6.998	2.287	87.156
1	1	50	CC Discharge	2016-06-27,10:50:43	1200	36.516	-6.998	2.333	88.813
1	1	51	CC Discharge	2016-06-27,10:51:25	1241	36.395	-6.998	2.413	91.728
1	1	52	CC Discharge	2016-06-27,10:51:43	1260	36.343	-6.998	2.449	93.063
1	1	53	CC Discharge	2016-06-27,10:52:30	1307	36.221	-6.998	2.540	96.339
1	1	54	CC Discharge	2016-06-27,10:52:44	1320	36.192	-6.998	2.566	97.296
1	1	55	CC Discharge	2016-06-27,10:53:35	1372	36.070	-6.998	2.666	100.925
1	1	56	CC Discharge	2016-06-27,10:53:44	1380	36.053	-6.998	2.683	101.507
1	1	57	CC Discharge	2016-06-27,10:54:37	1434	35.931	-6.998	2.786	105.246
1	1	58	CC Discharge	2016-06-27,10:54:44	1440	35.918	-6.998	2.799	105.702
1	1	59	CC Discharge	2016-06-27,10:55:40	1496	35.797	-6.998	2.908	109.607
1	1	60	CC Discharge	2016-06-27,10:55:44	1500	35.787	-6.998	2.916	109.888
1	1	61	CC Discharge	2016-06-27,10:56:42	1558	35.666	-6.998	3.029	113.920
1	1	62	CC Discharge	2016-06-27,10:56:44	1560	35.662	-6.998	3.033	114.061

1	1	63	CC Discharge	2016-06-27,10:57:42	1618	35.540	-6.998	3.145	118.063
1	1	64	CC Discharge	2016-06-27,10:57:44	1620	35.538	-6.998	3.149	118.203
1	1	65	CC Discharge	2016-06-27,10:58:44	1680	35.420	-6.998	3.266	122.350
1	1	66	CC Discharge	2016-06-27,10:59:44	1740	35.308	-6.998	3.382	126.464
1	1	67	CC Discharge	2016-06-27,11:00:44	1800	35.199	-6.998	3.499	130.580
1	1	68	CC Discharge	2016-06-27,11:01:44	1860	35.095	-6.998	3.616	134.681
1	1	69	CC Discharge	2016-06-27,11:02:44	1920	34.996	-6.998	3.732	138.761
1	1	70	CC Discharge	2016-06-27,11:03:44	1980	34.905	-6.998	3.849	142.843
1	1	71	CC Discharge	2016-06-27,11:04:44	2040	34.815	-6.998	3.966	146.916
1	1	72	CC Discharge	2016-06-27,11:05:44	2100	34.732	-6.998	4.082	150.964
1	1	73	CC Discharge	2016-06-27,11:06:44	2160	34.652	-6.998	4.199	155.017
1	1	74	CC Discharge	2016-06-27,11:07:44	2220	34.577	-6.998	4.315	159.048
1	1	75	CC Discharge	2016-06-27,11:08:44	2280	34.505	-6.998	4.432	163.080
1	1	76	CC Discharge	2016-06-27,11:09:44	2340	34.435	-6.998	4.549	167.100
1	1	77	CC Discharge	2016-06-27,11:10:44	2400	34.368	-6.998	4.665	171.105
1	1	78	CC Discharge	2016-06-27,11:11:44	2460	34.304	-6.998	4.782	175.125
1	1	79	CC Discharge	2016-06-27,11:54:07	2460	36.288	-0.022	4.782	175.125
1	1	80	CC Discharge	2016-06-27,11:54:07	2460	36.288	-6.996	4.782	175.132
1	1	81	CC Discharge	2016-06-27,11:54:07	2461	34.850	-6.998	4.783	175.159
1	1	82	CC Discharge	2016-06-27,11:54:15	2468	34.728	-6.998	4.798	175.656
1	1	83	CC Discharge	2016-06-27,11:54:30	2483	34.606	-6.998	4.827	176.669
1	1	84	CC Discharge	2016-06-27,11:54:53	2506	34.484	-6.998	4.871	178.209
1	1	85	CC Discharge	2016-06-27,11:55:07	2520	34.429	-6.998	4.899	179.146
1	1	86	CC Discharge	2016-06-27,11:55:44	2558	34.307	-6.998	4.972	181.668
1	1	87	CC Discharge	2016-06-27,11:56:06	2580	34.248	-6.998	5.015	183.144
1	1	88	CC Discharge	2016-06-27,11:56:57	2631	34.126	-6.998	5.113	186.510
1	1	89	CC Discharge	2016-06-27,11:57:07	2640	34.106	-6.998	5.132	187.137
1	1	90	CC Discharge	2016-06-27,11:58:06	2700	33.997	-6.998	5.248	191.102
1	1	91	CC Discharge	2016-06-27,11:59:06	2760	33.909	-6.998	5.365	195.063
1	1	92	CC Discharge	2016-06-27,12:00:07	2820	33.828	-6.998	5.482	199.022
1	1	93	CC Discharge	2016-06-27,12:01:07	2880	33.756	-6.998	5.598	202.958
1	1	94	CC Discharge	2016-06-27,12:02:07	2940	33.687	-6.998	5.715	206.898
1	1	95	CC Discharge	2016-06-27,12:03:07	3000	33.623	-6.998	5.832	210.817

1	1	96	CC Discharge	2016-06-27,12:04:07	3060	33.562	-6.998	5.948	214.738
1	1	97	CC Discharge	2016-06-27,12:05:07	3120	33.503	-6.998	6.065	218.651
1	1	98	CC Discharge	2016-06-27,12:06:07	3180	33.445	-6.998	6.181	222.547
1	1	99	CC Discharge	2016-06-27,12:07:07	3240	33.388	-6.998	6.298	226.449
1	1	100	CC Discharge	2016-06-27,12:08:07	3300	33.327	-6.998	6.415	230.344
1	1	101	CC Discharge	2016-06-27,12:09:07	3360	33.268	-6.998	6.531	234.221
1	1	102	CC Discharge	2016-06-27,12:10:07	3420	33.202	-6.998	6.648	238.103
1	1	103	CC Discharge	2016-06-27,12:34:14	3420	35.269	-0.022	6.648	238.103
1	1	104	CC Discharge	2016-06-27,12:34:14	3420	35.269	-6.996	6.648	238.110
1	1	105	CC Discharge	2016-06-27,12:34:14	3421	33.800	-6.998	6.649	238.123
1	1	106	CC Discharge	2016-06-27,12:34:20	3426	33.678	-6.998	6.659	238.486
1	1	107	CC Discharge	2016-06-27,12:34:31	3437	33.554	-6.998	6.681	239.217
1	1	108	CC Discharge	2016-06-27,12:34:46	3452	33.433	-6.998	6.711	240.207
1	1	109	CC Discharge	2016-06-27,12:35:06	3473	33.311	-6.998	6.750	241.522
1	1	110	CC Discharge	2016-06-27,12:35:14	3480	33.276	-6.998	6.764	241.994
1	1	111	CC Discharge	2016-06-27,12:35:48	3514	33.154	-6.998	6.831	244.209
1	1	112	CC Discharge	2016-06-27,12:36:14	3540	33.091	-6.998	6.881	245.871
1	1	113	CC Discharge	2016-06-27,12:37:05	3591	32.969	-6.998	6.980	249.148
1	1	114	CC Discharge	2016-06-27,12:37:14	3600	32.949	-6.998	6.998	249.720
1	1	115	CC Discharge	2016-06-27,12:38:01	3647	32.827	-6.998	7.090	252.747
1	1	116	CC Discharge	2016-06-27,12:38:14	3660	32.798	-6.998	7.114	253.549
1	1	117	CC Discharge	2016-06-27,12:38:58	3704	32.676	-6.998	7.200	256.368
1	1	118	CC Discharge	2016-06-27,12:39:14	3720	32.633	-6.998	7.231	257.372
1	1	119	CC Discharge	2016-06-27,12:39:58	3764	32.512	-6.998	7.317	260.163
1	1	120	CC Discharge	2016-06-27,12:40:14	3780	32.466	-6.998	7.348	261.166
1	1	121	CC Discharge	2016-06-27,12:40:55	3821	32.344	-6.998	7.428	263.770
1	1	122	CC Discharge	2016-06-27,12:41:14	3840	32.287	-6.998	7.464	264.942
1	1	123	CC Discharge	2016-06-27,12:41:53	3879	32.165	-6.998	7.539	267.360
1	1	124	CC Discharge	2016-06-27,12:42:14	3900	32.093	-6.998	7.581	268.693
1	1	125	CC Discharge	2016-06-27,12:42:49	3935	31.969	-6.998	7.649	270.864
1	1	126	CC Discharge	2016-06-27,12:43:14	3960	31.873	-6.998	7.698	272.426
1	1	127	CC Discharge	2016-06-27,12:43:42	3988	31.751	-6.998	7.752	274.172
1	1	128	CC Discharge	2016-06-27,12:44:07	4013	31.630	-6.998	7.801	275.701

1	1	129	CC Discharge	2016-06-27,12:44:14	4020	31.591	-6.998	7.814	276.126
1	1	130	CC Discharge	2016-06-27,12:44:34	4040	31.469	-6.998	7.852	277.335
1	1	131	CC Discharge	2016-06-27,12:44:51	4057	31.347	-6.998	7.886	278.392
1	1	132	CC Discharge	2016-06-27,12:45:06	4072	31.225	-6.998	7.914	279.280
1	1	133	CC Discharge	2016-06-27,12:45:14	4080	31.146	-6.998	7.931	279.797
1	1	134	CC Discharge	2016-06-27,12:45:26	4092	31.024	-6.998	7.954	280.510
1	1	135	CC Discharge	2016-06-27,12:45:37	4103	30.897	-6.998	7.975	281.155
1	1	136	CC Discharge	2016-06-27,12:45:46	4112	30.775	-6.998	7.994	281.739
1	1	137	CC Discharge	2016-06-27,12:45:55	4122	30.648	-6.998	8.012	282.283
1	1	138	CC Discharge	2016-06-27,12:46:04	4130	30.524	-6.998	8.028	282.791
1	1	139	CC Discharge	2016-06-27,12:46:12	4138	30.402	-6.998	8.043	283.247
1	1	140	CC Discharge	2016-06-27,12:46:14	4140	30.369	-6.998	8.048	283.382
1	1	141	CC Discharge	2016-06-27,12:46:21	4147	30.247	-6.998	8.061	283.787
1	1	142	CC Discharge	2016-06-27,12:46:28	4154	30.122	-6.998	8.075	284.205
1	1	143	CC Discharge	2016-06-27,12:46:34	4161	30.000	-6.998	8.087	284.584
1	1	144	CC Discharge	2016-06-27,12:46:41	4167	29.876	-6.998	8.100	284.961
1	1	145	CC Discharge	2016-06-27,12:46:47	4173	29.749	-6.998	8.112	285.314
1	1	146	CC Discharge	2016-06-27,12:46:53	4179	29.627	-6.998	8.123	285.644
1	1	147	CC Discharge	2016-06-27,12:46:58	4185	29.498	-6.998	8.134	285.970
1	1	148	CC Discharge	2016-06-27,12:47:04	4190	29.373	-6.998	8.145	286.283
1	1	149	CC Discharge	2016-06-27,12:47:09	4195	29.247	-6.998	8.154	286.574
1	1	150	CC Discharge	2016-06-27,12:47:14	4200	29.120	-6.998	8.164	286.860
1	1	151	CC Discharge	2016-06-27,12:47:19	4205	29.000	-6.998	8.173	287.125